Searching PAJ Page 1 of 2

PATENT ABSTRACTS OF JAPAN

(11)Publication number:

09-135933

(43) Date of publication of application: 27.05.1997

(51)Int.CI.

A63B 53/04

(21)Application number: 07-295840

(71)Applicant : CHIN KUYU

(22)Date of filing:

14.11.1995


(72)Inventor: CHIN KUYU

(54) GOLF CLUB HEAD

(57) Abstract:

PROBLEM TO BE SOLVED: To sufficiently show up the cavity effect improving the face rigidity.

SOLUTION: A dent 4 is formed on the back face side of a head main body 3 remaining a thick periphery part, a band shaped reinforcing bridge 5 is formed from the top side 3a of the thick periphery part to the sole side 3c to form a gap between the reinforcing bridge and the dent, and the top part of the reinforcing bridge is wider than the sole part of the reinforced bridge. A weight may be equipped on the reinforcing bridge.



LEGAL STATUS

[Date of request for examination]

26.03.1996

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

2670435

decision of rejection]
[Date of extinction of right]

04.07.2000


Copyright (C); 1998,2000 Japan Patent Office


* NOTICES *


Japan Patent Office is not responsible for any damages caused by the use of this translation.


- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

DRAWINGS










[Drawing 6]



[Translation done.]